Notice of Allowability	Application No.	Applicant(s)		
	09/768,450 Examiner	SLOOT, ALEXAN	SLOOT, ALEXANDER Art Unit	
	Cheryl N Hawkins	1734		
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm IGHTS. This application is	in this application. If not inclinution in the inclination will be mailed in du	uded ue course. THIS	
 This communication is responsive to the Remarks filed on 2.	caminer. Inder 35 U.S.C. § 119(a)-(d) Expense been received. Expense been received in Applicate cuments have been received in Applicate cuments have been received in Application or in an Application D pplication has been received.	ion No ed in this national stage appli o a provisional application) sir ata Sheet. 37 CFR 1.78. ed.	nce a specific	
in the first sentence of the specification or in an Application Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of to 7. A SUBSTITUTE OATH OR DECLARATION must be submit	Data Sheet. 37 CFR 1.78. this communication to file this application. THIS TH itted. Note the attached EX	a reply complying with the re REE-MONTH PERIOD IS NO (AMINER'S AMENDMENT or	quirements noted	
INFORMAL PATENT APPLICATION (PTO-152) which give 8. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing or (c) including changes required by the attached Examiner's	es reason(s) why the oath of the submitted on's Patent Drawing Revie orrection filed, whi	or declaration is deficient. ew (PTO-948) attached ch has been approved by the	Examiner.	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the second of the sheet of the second of t	ne margin according to 37 C sit of BIOLOGICAL MAT	FR 1.121(d). ERIAL must be submitted	·	
Attachment(s)	HE DEPOSIT OF BIOLOG	ICAL MATERIAL.		
1 Notice of References Cited (PTO-892) 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No 4 Examiner's Comment Regarding Requirement for Deposit of Biological Material	6⊡ Interview St), 7⊠ Examiner's	formal Patent Application (PT ummary (PTO-413), Paper No Amendment/Comment Statement of Reasons for All	o owance	

Application/Control Number: 09/768,450 Page 2

Art Unit: 1734

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Todd M. Oberdick on January 23, 2004.

2. The application has been amended as follows:

In the Specification, page 11, the first paragraph has been replaced with the following paragraph. --Fig. 16 shows a die 170 being applied to mesh 172 which has vinyl layers 174 sealed to either side leaving intact trim edge 182. Vinyl layers 174 may comprise two separate pieces of material or may comprise a single piece of material folded back on itself. As the die seals the vinyl layer to the mesh, cutting edges 176, 184 on the exterior and interior, respectively, of die 170 cause excess vinyl to be cut away. As a result of cutting, a strip of scrap 178 occurs on the outside, and a sheet of extra vinyl 180 occurs on the inside. A row of spaced apart sealing lines 185 represent internal embossings within the same general area of the sealing die.--

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Cheryl N. Hawkins whose telephone number is (571) 272-1229. The examiner can normally be reached on Monday through Friday from 8:00 am to 4:30 pm.

Application/Control Number: 09/768,450

Art Unit: 1734

Page 3

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone numbers for the organization where the application or proceeding is assigned is (703) 872-9310 for regular communications or (703) 872-9311 for After-Final communications.

Cheryl N. Hawkins

Cheryl n. Hawkin 1/23/04

January 23, 2004

RICHARD CRISPINO SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1700